

Title: Emergency user cabinet depth 1200mm

Generated on: 2026-05-05 14:25:07

Copyright (C) 2026 2XT Power. All rights reserved.

For the latest updates and more information, visit our website: <https://www.2xt.com.pl>

What is a Class II Microbiological Safety Cabinet?

Energy efficient Class II microbiological safety cabinet with two DC fans, dual exhaust HEPAs and long lasting LED lights. Suitable for microbiology, biomedicine, biosafety laboratories and other laboratories. It offers three levels of protection - operator, product and environment.

What is hr1200-iaa2 double exhaust filtered Biological Safety Cabinet?

The HR1200-IIA2 double exhaust filtered biological safety cabinet utilises two highly efficient HEPA exhaust filters and one ULPA downflow filter to provide three levels of protection; operator, product and environment. ? As there is no need for external ducting, this is a cost-effective solution.

What is a safety cabinet?

The safety cabinet is necessary equipment in the laboratory in the pursuit of microbiology, biomedical, recombinant DNA, animal experiments and biological products, especially in the occasion when the operator needs to take protective measures, such as medical and health, pharmacy, research. medical.

How many levels of protection does the hr1200-iaa2 offer?

It offers three levels of protection - operator, product and environment. ? The HR1200-IIA2 double exhaust filtered biological safety cabinet utilises two highly efficient HEPA exhaust filters and one ULPA downflow filter to provide three levels of protection; operator, product and environment.

The Safetybox ® cabinets for flammables are equipped with safety devices that will be automatically triggered in the event of a fire, to isolate the flammable substances contained inside the cabinet, ...

Safety cabinet, DIN EN 14470-1, 1200mm Sheet steel cabinet body with integrated door locking system, interior body with chemical resistant surface. Shelving for 32 mm pitch shelves. Ground retention ...

In the event of fire, the self-closing cabinet closes automatically by a thermal mechanism: Door closes at max. 50°C and the infeed and exhaust air channels close at 70°C.

a p p l i c a t i o n s Net-Verse™ D-type Cabinets are the preferred choice for applications that require maximum flexibility and the capacity to manage high cable density in data center, ...

Emergency user cabinet depth 1200mm

The Guardian range of recirculating Class II Biological Safety Cabinets provide the best features available in Class II Cabinets. As standard, they are provided with a motorised sash, high-intensity ...

Standard Biosafety Cabinet-Dual HEPA Share: Energy efficient Class II microbiological safety cabinet with two DC fans, dual exhaust HEPAs and long lasting LED lights. Suitable for microbiology, ...

Biosafety Cabinet A2 BSC-1200-II-A2-X CLASS II The safety cabinet is necessary equipment in the laboratory in the pursuit of microbiology, biomedical, recombinant DNA, animal experiments and ...

Lab Furniture CE Approved Yellow 1200mm Height with or Without Window Metal Emergency Equipment PPE Cabinets, Find Details and Price about Emergency Equipment Cabinet ...

Lab Furniture CE Approved Yellow 1200mm Height with or Without ...

The cabinet has passed 900-1000? fire test, and the fire grade is 30min, which complies with ROHS, GA/T73, CE, etc. It is in accordance with OSHA29 CFR 1910.106, NFPA 30 9.5 and the ...

In the event of fire, the self-closing cabinet closes automatically by ...

EXTERNAL DIMENSIONS 34021200 14L 48 kg 1200mm 34021201 18L 58kg Height 1800mm 1200mm 900mm 700mm Width Depth Code Sump Capacity Weight Shelves 350mm ...

Web: <https://www.2xt.com.pl>

